

REV DATE CHANGE DESCRIPTION MOD.BY CK1 CK2

S.A.E. B 2-BOLT MOUNT 4.00" PILOT (2) 1/2-13 TAPPED HOLES EQ. SPACED ON A 5.75 B.C.

NOTES:

1. HOUSING FOR KUBOTA ENGINES D-905, D1005-B, D1105-B, V1205-B, V1305-P, AND V1505-B.

IMPORTANT INSTALLATION

NOTE!!!!!

IMPROPER INSTALLATION OF HUB COULD CAUSE PREMATURE WEAR AND OR FAILURE.


IF YOU HAVE QUESTIONS CONCERNING LOCATION OF METAL HUB ON PUMP SHAFT PLEASE CONTACT DISTRIBUTOR OR FACTORY FOR FURTHER INFORMATION.

BOTH HUB SET SCREWS MUST BE PROPERLY
TORQUED TO 25 FT.LBS. USING TORQUE WRENCH.
PLEASE CONTACT DISTRIBUTOR OR FACTORY FOR
ANY FURTHER QUESTIONS.

NOTE: THIS STEP IS IMPORTANT TO ENSURE FULL SPLINE ENGAGEMENT.

- PRESET HUB ON SHAFT AS SHOWN.
- IF YOUR PUMP SHAFT VARIES FROM THE DRAWN SHAFT LENGTH, CONTACT FACTORY FOR RECOMMENDATIONS.
- 3) TORQUE BOTH SET SCREWS TO 25 FT.LBS. USING TORQUE WRENCH.
- 4) SHAFT SHOULD HAVE FULL SPLINE ENGAGEMENT INTO HUB, IF NOT CONTACT FACTORY FOR RECOMMENDATIONS (231) 879-3372.

THE DRAWING IS THE PROPERTY OF HAYES WIG. INC. AND IS LOANED SUBJECT TO THE COMMIND THAT IT SHALL NOT BE REPRODUCED.
COPIED, LOANED OR OTHERWISE DISPOSED OF, DIRECTLY OR INDIRECTLY, IT SHALL BE USED AS A MEANS OF REFERENCE TO WORK FURNISHED BY THIS COMPANY ONLY AND IS NOT TO BE SUBMITTED TO OUTSIDE PARTIES FOR EXAMINATION WITHOUT OUR CONSENT.



	DET.	PART NUMBER	DESCRIPTION		
	1	B-S05	HEX~FLX DRIVE PLATE	1	
	2	HB3-87	HEX~FLX HUB		
	3	952055-02	HOUSING		
	4	PURCHASE	5/16 DIA x 1/2 DOWEL PIN	2	
	5	952182	BOLT KIT	1	

SYMBOLS FLATNESS	DET. PART NU	JMBER	DESCRIPTION	4	QTY	
STRAIGHTNESS ANGULARITY PERPENDICULARITY PARALLELISM CONCENTRICITY	DO NOT SCALE DRAWING TOLERANCES UNLESS OTHERWISE SPECIFIED 125 MAXIMUM	HAYES MANUFACTURING INC. (B)				
O ROUNDNESS P CIRCULAR RUN OUT	ANGLE ±1/2' FRACTION ±1/32 DECIMAL .00 ±.01 .000 ±.005 .0000 ±.0005	TITLE KUBOTA -05 HEX~FLX ASS'Y				
✓ TOTAL RUN OUT ✓ CYLINDRICITY ✓ FINISH		MATERIAL				
- UNLESS OTHERWI		DRAWN BY	DATE	DRAWING NO.		
REMOVE FIRST ON ALL TAPPE		SIETING	03-01-2010	06-0-HB3-87	7 D	
BREAK ALL SHARP CORN	IERS .010 TO .020	CHECKED BY	SCALE			
STAMP OR MARK DRAWING NO.		RJH		SHEET OF REV		