




REV	DATE	CHANGE DESCRIPTION	MOD. BY	CK1	CK2
H	02/17/2012	CHANGED HUB TO 130548	ZS	ML	JM

NISSAN CG-13 1.3 LITRE



REPLACES: 939018

QTY.	DESCRIPTION	PART NUMBER	DET.
1	RUBBER SEAL	939027	20
1	DUST COVER	939002	19
1	BOLT KIT	939016	18
1	HOUSING	939000-01	17
4	1/2-13-1-1/8 SHCS	740000	16
1	SPLINED SHAFT	125713	15
1	SEAL	CRW1-R-15830	14
1	SPIROLOX SNAP RING	RR-314	13
1	GREASE ZERK	600000	12
1	DOUBLE BEARING	5208WD	11
1	BEARING HOUSING	125007	10
1	BEARING	208P	9
1	V-RING	400320	8
1	HUBBARD PLUG	R-0017-01	7
1	GREASE	801912	6
8	5/16-24-5/8 H.H.B.	HX300	5
8	NEOPRENE INSERT	H52500	4
8	THREADED BUSHING	123729-01	3
1	COUPLING HUB	130548	2
1	FLYWHEEL PLATE	125151	1

- NOTES:**
- LIGHTLY GREASE INTERNAL AND EXTERNAL AREA OF SPLINE AT ASSEMBLY USING SUPPLIED COUPLING GREASE (OVER GREASING COULD CAUSE A HYDRAULIC TYPE LIFT ON SEALS).
 - AT ASSEMBLY GREASE BEARING HOUSING UNTIL PIN EXTENDS FROM PRESSURE RELIEF VALVE (LOCATED 180° FROM GREASE ZERK).** USE OF AN UNLEADED EXTREME PRESSURE LITHIUM GREASE, WITH NLGI NO.2 GRADE IS RECOMMENDED. RUN TIME BETWEEN GREASINGS NOT TO EXCEED 2,000 HOURS.
 - WARNING!!!** INJURY OR DEATH FROM A ROTATING STUB SHAFT CAN OCCUR IF A CONDITION EXISTS WHICH WOULD CAUSE THE SHAFT TO BREAK OR COME APART FROM ANY PART OF THE ASSEMBLY. DEPENDING UPON THE APPLICATION (FOR EXAMPLE, FAN, PULLEY, SHEAVE, ETC.), THE AREA AROUND THE STUB SHAFT MUST BE SUFFICIENTLY GUARDED SO THAT IN THE EVENT OF FAILURE, THE GUARD WILL CONTAIN ANY AIRBORNE PARTS.

ASSEMBLY NOTE:
 ENSURE THAT THE GREASE ZERK AND RELIEF VALVE ARE LOCATED HORIZONTAL WHEN MOUNTING ON TO PUMP MOUNT PLATE OR HOUSING.

BEARING SUPPORTED STUB SHAFT SUB-ASS'Y #125714
 COUPLING ASS'Y 125150

THIS DRAWING IS THE PROPERTY OF HAYES MFG. INC. AND IS LOANED SUBJECT TO THE CONDITION THAT IT SHALL NOT BE REPRODUCED, COPIED, LOANED OR OTHERWISE DISPOSED OF, DIRECTLY OR INDIRECTLY. IT SHALL BE USED AS A MEANS OF REFERENCE TO WORK FURNISHED BY THIS COMPANY ONLY AND IS NOT TO BE SUBMITTED TO OUTSIDE PARTIES FOR EXAMINATION WITHOUT OUR CONSENT.

SYMBOLS	DET.	PART NUMBER	DESCRIPTION	QTY.
▭ FLATNESS ▭ STRAIGHTNESS ▭ ANGULARITY ▭ PERPENDICULARITY ▭ PARALLELISM ⊙ CONCENTRICITY ⊕ TRUE POSITION ○ ROUNDNESS Ⓞ CIRCULAR RUN OUT Ⓞ TOTAL RUN OUT Ⓞ CYLINDRICITY ▭ FINISH	DO NOT SCALE DRAWING TOLERANCES UNLESS OTHERWISE SPECIFIED 125 MAXIMUM ANGLE ±1/2° FRACTION ±1/32 DECIMAL .00 ±.01 .000 ±.005 .0000 ±.0005			
CLASS MAKE: <input type="checkbox"/> BUY: <input type="checkbox"/>	TITLE NISSAN CG-13 BEARING STUB SHAFT ASS'Y	DRAWN BY HAVEMAN	DATE 8-9-00	DRAWING NO. 939021
DESCRIPTION	CHECKED BY	SCALE	SHEET OF REV.	939021 OF REV.